

eLINE[®] Electronic Pipettes

Proven Convenience, Reliability and Speed



Proven Convenience, Reliability and Speed With a Great Price-Performance Ratio

The electronic eLINE® pipette family offers a great price-performance ratio for those of you who seek a cost-effective “companion” for repetitive pipetting, where convenience, accuracy and speed are mission-critical.

eLINE®'s ergonomic design eases your workload and reduces the risk of strain injury especially in long periods of pipetting. Fully electronic operation with electronic piston control secures accurate and precise results regardless of the user skill level.

One eLINE® can be used for several liquid handling tasks from regular pipetting to diluting with mixing, and automatic repetitive dispensing in order to ease and speed up your work. In addition, with their wide volume ranges, the eLINE® pipettes often cover the range of two mechanical pipettes. With user-independent results, the versatile pipetting modes and a wide volume range, one eLINE® offers great value compared to several mechanical pipettes.



Due to its reliability and user-independent results, eLINE® is an ideal tool for the following applications:

- PCR and other DNA/RNA techniques
- ELISA
- Protein analysis
- Cell culture

Join the Over 100 000 Professionals Who Benefit from eLINE®

Convenience – Reduced Risk of Strain Injury

- Fully electronic operation minimizes the force needed to operate the pipette
- Electronic tip ejection ensures light removal of tips, also with multichannel pipettes
- The ergonomic design of the handle and easy-to-reach operating buttons, allow convenient single-handed operation for both right and left-handed users
- The convenient finger hook provides proper support to minimize grip force



Reliable Results

- Electronic piston movement, electronic brake and piston control guarantee accurate and reliable pipetting results, regardless of the user skill level
- The Optiload feature in multichannel models permits tip loading with perfect tip sealing onto every tip cone to ensure accuracy
- Safe-Cone Filters prevent the risk of contamination cost-effectively

Speed

- The versatile pipetting modes reduce the work stages needed, enabling significantly faster liquid handling than a mechanical pipette
- Electronic multichannel models enable pipetting on microwell plates considerably faster than mechanical ones
- Speed setting available for both aspiration and dispensing

Pipetting Modes

Main Mode	Advanced Features		
	Mixing	Counter	Auto-Dispensing (Timed)
Pipetting	✓	✓	✓
Reverse Pipetting	✓		
Manual Pipetting1	✓		
Multi-Dispensing	✓		✓
Diluting	✓	✓	
Sequential Dispensing2	✓		
Multi-Aspirating	✓		
Super Pipetting	✓	Only available in eLINE® 0,1–5 µl	

1) Not available in eLINE® multichannel pipettes

2) Not available in eLINE® 0,1–5 µl model



Charging Stand for 1 pipette



Charging Carousel for 4 pipettes



Linear Stand (non-charging)

Charging Options

The eLINE® electronic pipettes can be charged with a 1-place Charging Stand, a 4-place Charging Carousel or a direct charging AC-adaptor. The variety of charging options has been designed for optimal utility. It is possible to continue pipetting while the eLINE® is being charged through the AC-adaptor. The compact design of the 4-pipette Charging Carousel is ideal for saving bench space in a laboratory. The 4-place rotating head provides easy access to the desired unit. Storing the pipette in an upright position on a stand also prevents contamination from tables and desk tops.

Ordering Information

Pipette Stands and Accessories

Order Code	Item
730981	Charging Stand for one pipette
730991	Charging Carousel for 4 pipettes
725620	Linear Stand (non-charging)
731009	eLINE® replacement battery

Charging stands are supplied with universal AC-adaptor (EU, US | JPN, UK, CHN, AUS, KOR plugs).

Ordering Information

Order Code	Channels	Volume Range (µl)	Increment (µl)	Test Volume (µl)	System. Error * (%)	Random Error * (%)	Safe-Cone Standard	Filters Plus	Optifit Tips*** (µl)	SafetySpace Filter Tips*** (µl)
730011	1	● 0,1-5	0,05	5 2,5 0,5	1,20 2,00 12,00	0,70 1,20 8,00	-	-	10	10
730021	1	● 0,2-10	0,05	10 5 1	1,00 1,40 4,00	0,40 0,70 2,30	-	-	10	10
730041	1	● 5-120	0,50	120 60 12	0,60 0,90 3,00	0,20 0,20 1,00	721008	721018	200 350	120
730061	1	● 10-300	1,00	300 150 30	0,60 0,60 1,50	0,15 0,20 0,80	721007	721017	350	300
730081	1	● 50-1000	5,00	1000 500 100	0,40 0,60 1,60	0,15 0,20 0,50	721006	721016	1000	1000
730101**	1	● 100-5000	10,0	5000 2500 500	0,50 0,80 1,60	0,17 0,20 0,40	721006	721016	5000	-
730321	8	● 0,2-10	0,05	10 5 1	0,90 1,50 4,00	0,60 0,90 3,50	-	-	10	10
730341	8	● 5-120	0,50	120 60 12	0,80 0,80 3,00	0,30 0,35 1,50	721008	721018	200 350	120
730361	8	● 10-300	1,00	300 150 30	0,70 0,90 3,00	0,20 0,30 1,20	721007	721017	350	300
730391	8	● 50-1200	5,00	1200 600 120	0,90 1,20 2,50	0,30 0,30 0,80	721006	721016	1200	1200
730421	12	● 0,2-10	0,05	10 5 1	0,90 1,50 4,00	0,60 0,90 3,50	-	-	10	10
730441	12	● 5-120	0,50	120 60 12	0,80 0,80 3,00	0,30 0,35 1,50	721008	721018	200 350	300
730461	12	● 10-300	1,00	300 150 30	0,70 0,90 3,00	0,20 0,30 1,20	721007	721017	350	300
730491	12	● 50-1200	5,00	1200 600 120	0,90 1,20 2,50	0,30 0,30 0,80	721006	721016	1200	1200

All pipettes are supplied with a universal charger (EU, UK, US/JPN, AUS, KOR and CHN plugs)

* The listed systematic and random error values are valid for Pipetting (P) mode only and are achieved under strictly controlled conditions during type tests per ISO 8655. Due to the continuous product development by Sartorius, the systematic and random error values may change without prior notice.

** NOTE: Minimum volume in P-mode is 500 µl. 100 µl is possible in multi-dispensing (d) mode.

***NOTE: Low Retention Tips are available in volumes up to 1200 µl.

Sales and Service Contacts

For further contacts, visit www.sartorius.com

Europe

Germany

Sartorius Lab Instruments
GmbH & Co. KG
Weender Landstrasse 94-108
37075 Goettingen

Phone +49.551.308.0
Fax +49.551.308.3289

E-mail : [leadsc@Sartorius.com](mailto:leadsc@ Sartorius.com)

France & Suisse Romande

Sartorius France
2, rue Antoine Laurent de Lavoisier
ZA de la Gaudrée
91410 Dourdan

Phone +33.1.70.62.50.00
Fax +33.1.64.59.76.39

Austria

Sartorius Austria GmbH
Modecenterstrasse 22
1030 Vienna

Phone +43.1.7965760.0
Fax +43.1.7965760.24

Belgium

Sartorius Belgium N.V.
Leuvensesteenweg, 248/B
1800 Vilvoorde

Phone +32.2.756.06.71
Fax +32.2.253.45.95

Finland & Baltics

Sartorius Biohit Liquid Handling Oy
Laippatie 1
00880 Helsinki

Phone +358.9.755.951
Fax +358.9.755.95.200

Hungary

Sartorius Hungária Kft.
Kagyló u. 5.
2092 Budakeszi

Phone +3623.457.227
Fax +3623.457.147

Ireland

Sartorius Ireland Ltd.
Unit 41, The Business Centre
Stadium Business Park
Ballycoolin Road
Dublin 11

Phone +353.1.8089050
Fax +353.1.8089388

Italy

Sartorius Italy S.r.l.
Viale A. Casati, 4
20835 Muggiò (MB)

Phone +39.039.4659.1
Fax +39.039.4659.88

Netherlands

Sartorius Netherlands B.V.

Phone +31.30.60.53.001
Fax +31.30.60.52.917

info.netherlands@sartorius.com

Poland

Sartorius Poland sp.z o.o.
ul. Wrzesinska 70
62-025 Kostrzyn

Phone +48.61.6473830
Fax +48.61.6473839

Russian Federation

LLC "Sartorius ICR" and LLC "Biohit"
Uralskaya str. 4, Lit. B
199155, Saint-Petersburg

Phone +7.812.327.5.327
Fax +7.812.327.5.323

Spain & Portugal

Sartorius Spain, S.A.
Avda. de la Industria, 32
Edificio PAYMA
28108 Alcobendas (Madrid)

Phone Spain +34.902.123.367
Phone Portugal +351.800.855.800
Fax Spain +34.91.358.96.23
Fax Portugal +351.800.855.799

Switzerland

Sartorius Mechatronics Switzerland AG
Ringstrasse 24a
8317 Tagelswangen (ZH)

Phone +41.44.746.50.00
Fax +41.44.746.50.50

U.K.

Sartorius UK Ltd.
Longmead Business Centre
Blenheim Road, Epsom
Surrey KT19 9QQ

Phone +44.1372.737159
Fax +44.1372.726171

Ukraine

LLC "Biohit"
Post Box 440 "B"
01001 Kiev, Ukraine

Phone +380.44.411.4918
Fax +380.50.623.3162

America

USA

Sartorius Corporation
5 Orville Drive, Suite 200
Bohemia, NY 11716

Phone +1.631.254.4249
Toll-free +1.800.635.2906
Fax +1.631.254.4253

Argentina

Sartorius Argentina S.A.
Int. A. Ávalos 4251
B1605ECS Munro
Buenos Aires

Phone +54.11.4721.0505
Fax +54.11.4762.2333

Brazil

Sartorius do Brasil Ltda
Avenida Senador Vergueiro 2962
São Bernardo do Campo
CEP 09600-000 - SP- Brasil

Phone +55.11.4362.8900
Fax + 55.11.4362.8901

Canada

Sartorius Canada Inc.
2179 Dunwin Drive #4
Mississauga, ON L5L 1X2

Phone +1.905.569.7977
Toll-Free +1.800.668.4234
Fax +1.905.569.7021

Mexico

Sartorius de México S.A. de C.V.
Circuito Circunvalación Poniente
No. 149
Ciudad Satélite
53100, Estado de México
México

Phone +52.5555.62.1102
Fax +52.5555.62.2942

Asia|Pacific

Australia

Sartorius Australia Pty. Ltd.
Unit 5, 7-11 Rodeo Drive
Dandenong South Vic 3175

Phone +61.3.8762.1800
Fax +61.3.8762.1828

China

Sartorius Scientific
Instruments (Beijing) Co., Ltd.
33 Yu An Road, Airport Industrial Park
Zone B,
Shunyi District, Beijing 101300,
P.R.China

Phone +86.10.8042.6300
Fax +86.10.8042.6486

Hong Kong

Sartorius Hong Kong Ltd.
Unit 1012, Lu Plaza
2 Wing Yip Street
Kwun Tong
Kowloon, Hong Kong

Phone +852.2774.2678
Fax +852.2766.3526

India

Sartorius Weighing India Pvt. Ltd.
#69/2-69/3, NH 48, Jakkasandra,
Nelamangala Tq
562 123 Bangalore, India

Phone +91.80.4350.5250
Fax +91.80.4350.5253

Japan

Sartorius Japan K.K.
4th Fl., Daiwa Shinagawa North Bldg.
8-11, Kita-Shinagawa 1-chome
Shinagawa-ku, Tokyo, 140-0001 Japan

Phone +81.3.3740.5408
Fax +81.3.3740.5406

Malaysia

Sartorius Malaysia Sdn. Bhd
Lot L3-E-3B, Enterprise 4
Technology Park Malaysia
Bukit Jalil
57000 Kuala Lumpur, Malaysia

Phone +60.3.8996.0622
Fax +60.3.8996.0755

Singapore

Sartorius Singapore Pte. Ltd
1 Science Park Road,
The Capricorn, #05-08A,
Singapore Science Park II
Singapore 117528

Phone +65.6872.3966
Fax +65.6778.2494

South Korea

Sartorius Korea Ltd.
8th Floor, Solid Space B/D,
PanGyoYeok-Ro 220, BunDang-Gu
SeongNam-Si, GyeongGi-Do, 463-400

Phone +82.31.622.5700
Fax +82.31.622.5799

Thailand

Sartorius (Thailand) Co. Ltd.
129 Rama 9 Road,
Huaykwang
Bangkok 10310

Phone +66.2643.8361-6
Fax +66.2643.8367



◀ www.sartorius.com